

SPECIAL WORDS IN FREE GROUPS

Patrick Bishop, Mary Leskovec, and Tim Reid

Mason Experimental Geometry Lab

December 11, 2015

CONTENTS

INTRODUCTION

ANTI-AUTOMORPHISMS

SL(3,C) SPECIAL WORDS MUST BE SIGNATURE EQUIVALENT

GENERATING SIGNATURE EQUIVALENT WORDS

INFINITE FAMILIES OF NOT SL(3,C) SPECIAL WORDS

THE FUTURE

REFERENCES

ACKNOWLEDGMENTS

We thank the Mason Experimental Geometry Lab for providing the opportunity to conduct this research and Dr. Sean Lawton for his guidance during the research. We thank Clément Guérin and Vishal Mummareddy for working with us over the summer. We thank the National Science Foundation for funding us to conduct the research and the GEAR REGS program for funding Clément Guérin while he was in the United States.

INTRODUCTION

- ▶ Any two or more words are special if they have the same trace and are not cyclically equivalent
- ▶ The trace of a word is found by replacing a letter with an $SL_n\mathbb{C}$ matrix and calculating the trace of the product
- ▶ Over the summer and early fall we generated a set of positive special words
- ▶ We generated 20,299,737 SL_2 special pairs, 5,747 très (very) special sets, and 0 SL_3 special words

ANTI-AUTOMORPHISMS

- ▶ An anti-automorphism is a mapping from a group to itself
- ▶ One to one and Onto
- ▶ It does not preserve the group structure meaning that for an anti-automorphism f , $f(ab) = f(b)f(a)$
- ▶ Reverse is an anti-automorphism in the free group
- ▶ All free group anti-automorphisms are compositions of any automorphism and reverse
- ▶ The anti-automorphism image of a special pair is special and the image of a non-special pair is not special

We will only present our proof that anti-automorphisms preserve trace equivalence because the proof that they preserve a pair not being conjugate is nearly the same as for automorphisms. Also, the anti-automorphism image of non special words is non special, and the proof is nearly the same.

ANTI-AUTOMORPHISMS PRESERVE TRACE-EQUIVALENCE

Reverse is the closest there is to an "identity" anti-automorphism so we will show reverse preserves trace equivalence.

ANTI-AUTOMORPHISMS PRESERVE TRACE-EQUIVALENCE

Reverse is the closest there is to an "identity" anti-automorphism so we will show reverse preserves trace equivalence.

Suppose

$$\text{Tr}(w_1(a, b)) = \text{Tr}(w_2(a, b))$$

ANTI-AUTOMORPHISMS PRESERVE TRACE-EQUIVALENCE

Reverse is the closest there is to an "identity" anti-automorphism so we will show reverse preserves trace equivalence.

Suppose

$$\text{Tr}(w_1(a, b)) = \text{Tr}(w_2(a, b))$$

$$\text{Tr}(w_1((a, b)^T)) = \text{Tr}(w_2((a, b)^T))$$

ANTI-AUTOMORPHISMS PRESERVE TRACE-EQUIVALENCE

Reverse is the closest there is to an "identity" anti-automorphism so we will show reverse preserves trace equivalence.

Suppose

$$\text{Tr}(w_1(a, b)) = \text{Tr}(w_2(a, b))$$

$$\text{Tr}(w_1((a, b)^T)) = \text{Tr}(w_2((a, b)^T))$$

$$\text{Tr}(w_1(\overleftarrow{a^T}, \overleftarrow{b^T})) = \text{Tr}(w_2(\overleftarrow{a^T}, \overleftarrow{b^T}))$$

ANTI-AUTOMORPHISMS PRESERVE TRACE-EQUIVALENCE

Reverse is the closest there is to an "identity" anti-automorphism so we will show reverse preserves trace equivalence.

Suppose

$$\text{Tr}(w_1(a, b)) = \text{Tr}(w_2(a, b))$$

$$\text{Tr}(w_1((a, b)^T)) = \text{Tr}(w_2((a, b)^T))$$

$$\text{Tr}(w_1(\overleftarrow{a^T}, \overleftarrow{b^T})) = \text{Tr}(w_2(\overleftarrow{a^T}, \overleftarrow{b^T}))$$

Since trace must be equal for all SL matrices,

$$\text{Tr}(w_1(\overleftarrow{a}, b)) = \text{Tr}(w_2(\overleftarrow{a}, b))$$

THE SUM OF THE SIGNATURE IN SPECIAL WORDS IS EQUAL

- ▶ We define a signature of a word as the ordered tuple of unordered exponents in a word. For example the signature of $a^2b^2ab^{-1}$ is $\{\{2, 1\}, \{2, -1\}\}$.

THE SUM OF THE SIGNATURE IN SPECIAL WORDS IS EQUAL

- ▶ We define a signature of a word as the ordered tuple of unordered exponents in a word. For example the signature of $a^2b^2ab^{-1}$ is $\{\{2, 1\}, \{2, -1\}\}$.
- ▶ Suppose that sum of the exponents for one letter in a word w_1 is α_1 and in another word, w_2 is α_2 . If $\alpha_1 \neq \alpha_2$, then the words will not have the same trace.

THE SUM OF THE SIGNATURE IN SPECIAL WORDS IS EQUAL

- ▶ We define a signature of a word as the ordered tuple of unordered exponents in a word. For example the signature of $a^2b^2ab^{-1}$ is $\{\{2, 1\}, \{2, -1\}\}$.
- ▶ Suppose that sum of the exponents for one letter in a word w_1 is α_1 and in another word, w_2 is α_2 . If $\alpha_1 \neq \alpha_2$, then the words will not have the same trace.
- ▶ Choose the matrix for the letter with different exponent sums to be the diagonal

SL_3 matrix $A = \begin{pmatrix} -2 & 0 & 0 \\ 0 & i/2 & 0 \\ 0 & 0 & i \end{pmatrix}$ and the other matrix to be the identity matrix.

THE SUM OF THE SIGNATURE IN SPECIAL WORDS IS EQUAL

- ▶ We define a signature of a word as the ordered tuple of unordered exponents in a word. For example the signature of $a^2b^2ab^{-1}$ is $\{\{2, 1\}, \{2, -1\}\}$.
- ▶ Suppose that sum of the exponents for one letter in a word w_1 is α_1 and in another word, w_2 is α_2 . If $\alpha_1 \neq \alpha_2$, then the words will not have the same trace.
- ▶ Choose the matrix for the letter with different exponent sums to be the diagonal SL_3 matrix $A = \begin{pmatrix} -2 & 0 & 0 \\ 0 & i/2 & 0 \\ 0 & 0 & i \end{pmatrix}$ and the other matrix to be the identity matrix.
- ▶ Since both matrices are diagonal, the trace relations will be $Tr(w_1) = Tr(A^{\alpha_1})$ and $Tr(w_2) = Tr(A^{\alpha_2})$.

THE SUM OF THE SIGNATURE IN SPECIAL WORDS IS EQUAL

- ▶ We define a signature of a word as the ordered tuple of unordered exponents in a word. For example the signature of $a^2b^2ab^{-1}$ is $\{\{2, 1\}, \{2, -1\}\}$.
- ▶ Suppose that sum of the exponents for one letter in a word w_1 is α_1 and in another word, w_2 is α_2 . If $\alpha_1 \neq \alpha_2$, then the words will not have the same trace.
- ▶ Choose the matrix for the letter with different exponent sums to be the diagonal SL_3 matrix $A = \begin{pmatrix} -2 & 0 & 0 \\ 0 & i/2 & 0 \\ 0 & 0 & i \end{pmatrix}$ and the other matrix to be the identity matrix.
- ▶ Since both matrices are diagonal, the trace relations will be $Tr(w_1) = Tr(A^{\alpha_1})$ and $Tr(w_2) = Tr(A^{\alpha_2})$.
- ▶ It can be shown in 12 cases that $Tr(w_1) = Tr(w_2)$ only if $\alpha_1 = \alpha_2$

SPECIAL WORDS MUST HAVE THE SAME EXPONENTS

- ▶ Denote the exponents of a letter in the first word, w_1 , by α_i and in the second word, w_2 , by $\hat{\alpha}_i$.

SPECIAL WORDS MUST HAVE THE SAME EXPONENTS

- ▶ Denote the exponents of a letter in the first word, w_1 , by α_i and in the second word, w_2 , by $\hat{\alpha}_i$.
- ▶ From Horowitz [1] we know $\sum_{i=1}^n |\alpha_i| = \sum_{i=1}^n |\hat{\alpha}_i|$ where n is the amount of exponents of the letter, and from the previous proof we have $\sum_{i=1}^n \alpha_i = \sum_{i=1}^n \hat{\alpha}_i$

SPECIAL WORDS MUST HAVE THE SAME EXPONENTS

- ▶ Denote the exponents of a letter in the first word, w_1 , by α_i and in the second word, w_2 , by $\hat{\alpha}_i$.
- ▶ From Horowitz [1] we know $\sum_{i=1}^n |\alpha_i| = \sum_{i=1}^n |\hat{\alpha}_i|$ where n is the amount of exponents of the letter, and from the previous proof we have $\sum_{i=1}^n \alpha_i = \sum_{i=1}^n \hat{\alpha}_i$
- ▶ We have proven the base case that if $a^{\alpha_1} b^{\beta_1} a^{\alpha_2} b^{\beta_2}$ is special with $a^{\alpha'_1} b^{\beta'_1} a^{\alpha'_2} b^{\beta'_2}$, the exponents are equal.

SPECIAL WORDS MUST HAVE THE SAME EXPONENTS

- ▶ Denote the exponents of a letter in the first word, w_1 , by α_i and in the second word, w_2 , by $\hat{\alpha}_i$.
- ▶ From Horowitz [1] we know $\sum_{i=1}^n |\alpha_i| = \sum_{i=1}^n |\hat{\alpha}_i|$ where n is the amount of exponents of the letter, and from the previous proof we have $\sum_{i=1}^n \alpha_i = \sum_{i=1}^n \hat{\alpha}_i$
- ▶ We have proven the base case that if $a^{\alpha_1} b^{\beta_1} a^{\alpha_2} b^{\beta_2}$ is special with $a^{\alpha'_1} b^{\beta'_1} a^{\alpha'_2} b^{\beta'_2}$, the exponents are equal.
- ▶ Strong Inductive Assumption: Suppose the all but the last exponents of a letter in special words are equal.

SPECIAL WORDS MUST HAVE THE SAME EXPONENTS

- ▶ Denote the exponents of a letter in the first word, w_1 , by α_i and in the second word, w_2 , by $\hat{\alpha}_i$.
- ▶ From Horowitz [1] we know $\sum_{i=1}^n |\alpha_i| = \sum_{i=1}^n |\hat{\alpha}_i|$ where n is the amount of exponents of the letter, and from the previous proof we have $\sum_{i=1}^n \alpha_i = \sum_{i=1}^n \hat{\alpha}_i$
- ▶ We have proven the base case that if $a^{\alpha_1} b^{\beta_1} a^{\alpha_2} b^{\beta_2}$ is special with $a^{\alpha'_1} b^{\beta'_1} a^{\alpha'_2} b^{\beta'_2}$, the exponents are equal.
- ▶ Strong Inductive Assumption: Suppose the all but the last exponents of a letter in special words are equal.
- ▶ Then $\sum_{i=1}^{n-1} \alpha_i = \sum_{i=1}^{n-1} \hat{\alpha}_i$ and $\sum_{i=1}^{n-1} \alpha_i + \alpha_n = \sum_{i=1}^{n-1} \hat{\alpha}_i + \hat{\alpha}_n$

SPECIAL WORDS MUST HAVE THE SAME EXPONENTS

- ▶ Denote the exponents of a letter in the first word, w_1 , by α_i and in the second word, w_2 , by $\hat{\alpha}_i$.
- ▶ From Horowitz [1] we know $\sum_{i=1}^n |\alpha_i| = \sum_{i=1}^n |\hat{\alpha}_i|$ where n is the amount of exponents of the letter, and from the previous proof we have $\sum_{i=1}^n \alpha_i = \sum_{i=1}^n \hat{\alpha}_i$
- ▶ We have proven the base case that if $a^{\alpha_1} b^{\beta_1} a^{\alpha_2} b^{\beta_2}$ is special with $a^{\alpha'_1} b^{\beta'_1} a^{\alpha'_2} b^{\beta'_2}$, the exponents are equal.
- ▶ Strong Inductive Assumption: Suppose the all but the last exponents of a letter in special words are equal.
- ▶ Then $\sum_{i=1}^{n-1} \alpha_i = \sum_{i=1}^{n-1} \hat{\alpha}_i$ and $\sum_{i=1}^{n-1} \alpha_i + \alpha_n = \sum_{i=1}^{n-1} \hat{\alpha}_i + \hat{\alpha}_n$
- ▶ Therefore $\alpha_n = \hat{\alpha}_n$ and the the exponents of a letter in special words must be equal by induction.

SIGNATURES CODE


- ▶ Begins by taking into account two properties:
 - I The list of exponents must be of even length.
 - II Each exponent in the list must occur n times where n is divisible by 2.
- ▶ Uses the `Compositions[]` function in *Mathematica* to create a list of lists that add up to the length given.
- ▶ For-loops through the list of lists eliminating:
 - ▶ Cyclic equivalence
 - ▶ Eliminates candidates which an α -automorphism can't exist.
- ▶ Checks for $SL_2(\mathbb{C})$ speciality then checks for $SL_3(\mathbb{C})$ speciality.

FAMILIES OF VERY SPECIAL BUT NOT SL_3 SPECIAL WORDS

- ▶ Infinite pairs of words proven to have the same trace in $SL(2, \mathbb{C})$
- ▶ Currently attempting to prove one pair is not $SL(3, \mathbb{C})$ special for all pairs
- ▶ Uses a contradiction proof dependent on proving our base cases of words are not generated in any way by the trace of the commutator in its decomposition, using the fact that $\mathbb{C}[tr(A), tr(A^{-1}), tr(B), tr(B^{-1}), tr(AB), tr(A^{-1}B^{-1}), tr(AB^{-1}), tr(A^{-1}B)]$ is isomorphic to $\mathbb{C}[x_1, x_2, x_3, \dots, x_8]$. If each word's decomposition does not have the commutator, then there can exist no relation between the generators because it is then isomorphic to $\mathbb{C}[x_1, x_2, x_3, \dots, x_8]$. Then we have our contradiction.

FUTURE GOALS

- ▶ Prove reverse pairs and the infinite families are not SL_3 special to greatly narrow the SL_3 candidates
- ▶ Search the signature equivalent alpha pair locus for SL_3 special words
- ▶ Determine the specialness of all reverse of the inverse pairs
- ▶ Determine if the matrices corresponding to special words are similar

-  [Robert Horowitz.](#)
Characters of free groups represented in the two-dimensional special linear group.
Communications on Pure and Applied Mathematics, 1972.